

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**

04/750, 936

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: 79300807.9

(51) Int. Cl.²: **A 61 K 7/025**

(22) Date of filing: 10.05.79

(30) Priority: 19.05.78 GB 2083578

(43) Date of publication of application:
12.12.79, Bulletin 79/25

(84) Designated Contracting States:
AT BE CH DE FR GB IT LU NL SE

(71) Applicant: **SMITH & NEPHEW COSMETICS LIMITED**
Hook Rise South
Surrey, Surrey(GB)

(72) Inventor: **Jullietti, Frederick John**
9, Roxborough Avenue
Isleworth Middlesex(GB)



(72) Inventor: **Bowers, Dale Daxon**
15, Rythe Court
Thames Ditton Surrey(GB)

(74) Representative: **Clifford, Frederick Alan et al.**
MARKS & CLERK 57/60 Lincoln's Inn Fields
London W.C.2A 3LS(GB)

(54) Lip cosmetic.

(57) One or more waxes or wax-like substances is dissolved in a volatile solvent and a suitable pigment dispersed throughout the formulation to give a lip cosmetic paintable on as a liquid layer 7 and drying in e.g. 2 - 3 minutes to a solid fine-crystal layer 9 keyed into the skin rugosities 5 to improve its adherence.

The wax can be inter alia carnauba, lanolin, bees-wax, paraffin or microcrystalline wax. The solvent can be odourless kerosene or dimethyl silicones. Preferably the solvent content, or a gelled or emulsified formulation is adjusted to keep the pigments in suspension (Figures 2a and 2b)



"LIP COSMETIC"

This invention relates to a new formulation of lip cosmetic.

Hitherto lip cosmetics have been made from waxes softened with suitable oils and coloured to varying degrees with pigments or iridescent powders.

Such formulations have been provided in a wide range of consistencies, ranging from a firm stick which is applied directly to the skin to a viscous liquid or paste which is applied by a brush or roller. In each case, however, the applied formulation has formed a layer upon the skin of essentially the same composition as that of the formulation in the stick or container. This soft waxy layer soon becomes displaced or removed by normal movements of the mouth or tongue, and thus needs frequent repair.

There have been proposals to supplement the action of such conventional lip cosmetics in stick or paste or liquid form by incorporating dyestuffs.

The dyestuffs in question have usually been fluorescein derivatives, and penetrate into the top layers of skin to form a permanent coloured layer lasting several hours or days. Such formulations, however present their own problems since the dyestuffs are difficult to dissolve, giving rise to colour variation in use and special ingredients must be incorporated to overcome

this. Moreover, such concentrations of dyestuffs are currently felt to be potentially harmful to the user, and recent legislation has drastically reduced the permissible numbers and concentrations of such materials in formulations because of a concern that they are potential irritants.

It is also known, within the general field of cosmetics, to produce an eye-shadow cosmetic in which the pigment and wax are associated with a volatile solvent. These formulations were developed after it was observed that mere softened and pigmented wax formulations, although capable of smooth application, tended to accumulate in the natural creases of the eye-lids after a period of wear. The use of volatile solvents for the wax and pigment allowed the application of a uniform layer which retained its uniformity over an acceptable period.

The present invention is based upon the surprising realization that formulations resembling those in use for eye shadow can safely and effectively be used as lip cosmetic formulations.

Thus, the invention provides a lip cosmetic based upon an orally acceptable non-toxic wax at least partially dissolved in a readily volatile organic solvent.

With the criteria of the cosmetic industry, it is a surprising step to apply an eye

cosmetic type of formulation to a lip cosmetic.

Firstly, there is a great difference in skin type between the skin of the eye-lids, which at the time of application is relatively soft and smooth, and the skin of the lips, which varies greatly from person to person but, whether dry or moist, is typically somewhat ridged and puckered and of a different type from the skin of the eye-lids. Secondly, there is a great difference in mode of use. The typical wear

imparted to an eye shadow cosmetic is by the skin of the eye-lids coming into contact when the eyes are blinked, with no side-to-side abrasion and no applied moisture. The continued effect upon the eye-lids is to tend to cause an applied layer to migrate towards the inside of the normal crease line. On the other hand, the skin of the lips is much more exposed to abrasion, with side-to-side or to and from movement in talking or eating. Also, the tongue habitually passes at least on extent over some of the lip surface, and the environment can vary from very dry at the outer edges of the lips to continually moist at the inner edges. There is also in certain instances a creasing problem at the corner of the lips, and in fact the skin of the lips varies considerably from one person to another. Thirdly, when applying eye cosmetic it is not usually necessary to concern oneself with the taste, texture, or oral toxicity of the materials;

lip cosmetics must bear all of these considerations in mind. It is also a feature of the present invention that the volatile solvent dries so quickly on the relatively warm skin of the lips as to present no problem of acceptability or toxicity of solvent leaving a layer of the wax material uniformly over the whole of the lip surface in such a way as to resist normal abrasion, and of a small crystal habit either because of rapid evaporation or because of the intentional inclusion of a microcrystalline wax, as discussed below, neither expedient being present or necessary with an eye cosmetic.

Although the applicants do not wish to be limited by any particular discussion as to the theory of their invention, it is believed that, with prior lip cosmetics, the coating was either a waxy material applied as a smooth layer over the skin irregularities or was a dyed surface layer extending into the upper skin cells. The coating of the present invention appears to be a layer of minute wax crystals deposited by rapid evaporation of the volatile solution and faithfully following the contours of the lips so as to provide a uniform layer adherent against normal abrasion.

The invention accordingly consists in a lip cosmetic comprising (a) at least one orally acceptable non-toxic wax or wax-like substance,

at least partially dissolved in (b) a solvent or solvent mixture sufficiently volatile to be evaporated by the heat of the lips, together with (c) one or more suitable pigments or like solid materials dispersed throughout the formulation .

5 By "orally acceptable" is meant that the wax has no untoward greasy feel to the tongue, that it should not be readily transferred to the mouth and that the unavoidable traces that are so transferred should not feel greasy or gritty or taste unpleasant, accumulate on the teeth or have any long-term adverse effects. The term is basically linked to unpleasant taste or feel, on the lips or in the mouth, and any given wax will either have known properties to a man skilled in the cosmetic art or have properties which can be established by simple and routine experiment.

15 By "non-toxic" is meant freedom not only from acute effects, but also from long term unsuitability again, to a man in the art toxicity considerations for cosmetic ingredient are a matter of common knowledge or of routine experiment.

20 A wax is a complex mixture of compounds usually solid and possessing a characteristic sheen at room temperature having the property of melting to a mobile liquid and resolidifying on cooling in the same composition in all significant respects. Pre-dominately waxes are based on esters of higher mono-

hydric (more seldom dihydric) alcohols, containing in addition free acids, free alcohols and often free hydrocarbons.

5 The waxes which can be used (alone or in admixture can thus arise from natural (animal, vegetable or petroleum) sources or from special syntheses .

Among animal waxes, broadly so-called, are bees-wax and lanolin waxes. Bees-wax consists
 10 predominately of the palmitic ester of myricyl alcohol $\text{CH}_3(\text{CH}_2)_{14}\text{COOC}_{31}\text{H}_{63}$ containing in addition cerotic acid (10 - 14% by weight) and hydrocarbons (12-17% by weight). Lanolin waxes, or "wool wax", the neutral
 portion of wool fat has a somewhat different composition
 15 for it contains the complex alcohol cholesterol belonging to the carbocyclic compounds in addition to higher fatty acids and hydrocarbon.

Among vegetable waxes is carnauba wax, the wax attained from a Brazilian fan-palm. It consists
 20 of the myricyl ester of cerotic acid $\text{C}_{25}\text{H}_{51}\text{COOC}_{31}\text{H}_{63}$ together with the free acids (Carnauba acid, cerotic acid) higher alcohols and a hydrocarbon.

Petroleum, or paraffin, waxes generally arise from still residues in petroleum refinery. Their
 25 compositions vary widely, depending both on the feed stock and the refining conditions but generally speaking

th y are all hydrocarbons, pr dominantly straight chain and approximately of carbon number between C_{16} and C_{40} .

Waxes can be made synthetically, tailored to a desired mixture of characteristics, by a process akin to the Fischer-Tropsch synthesis, again being mixtures as described above.

It should moreover be borne in mind that certain polymeric materials possess wax-like characteristics at lower molecular weight. This is especially true for polyolefins such as polyethylene which at lower molecular weights (e.g. 500 - 5000) possess a characteristic waxy sheen, a relatively sharp low melting point and a generally waxy nature, as would be expected from their general similarity to long-chain hydrocarbons, esters, etc. Such polymeric substances are referred to herein as "wax-like substances".

Cutting across the above classification, but predominantly found in the paraffin wax category or their synthetic analogues are the "microcrystalline" waxes. In these the crystals formed on solidification are significantly smaller than the crystals formed from the other waxes. The reasons for this are not fully elucidated but may be related to the presence of a higher proportion of branched-chain hydrocarbon residues in the components. In any event, they not only form small crystals themselves but also modify

the crystal structure of other waxes when used in blends with them. The term "microcrystallin wax" is an art term, known to the cosmetic chemist and appearing as such in reference books and catalogues.

5 Further undue discussion of the chemical nature of these waxes would be misleading since no cosmetic chemist would choose a wax for this invention primarily on its chemical structure but on its recorded or easily determined toxicity, organo-
10 leptic properties, physical properties based on crystallinity, availability and, having regard to the particular nature of the invention, compatibility with solvent and ability to allow solvent to evaporate at a suitable rate.

15 It is preferred for the wax to be in admixture with a natural or synthetic resinous material material compatible both with the wax and with the underlying skin. Such a resin is provided to increase the resistance of the wax film to water and abrasion.
20 The resins which are suitable are usually polymeric and can be of natural or synthetic origin provided they are non-toxic and do not detract from the performance of the wax/solvent combination. Examples are rosin and the aryl-sulphonamide resins.

25 Basically, any readily volatile organic solvent can be used which is acceptable without irritation to the lips. Typical solvents that come to

mind are lower alcohols, ethers, or esters. However,
preferred examples of solvents, for cheapness, are
the aliphatic hydrocarbons especially kerosenes
(e.g. odourless kerosenes) or volatile silicones (such
as dimethyl silicones) since these solvents are readily
driven off by the heat of the lips and thus can exert
no toxic effect upon the user. Moreover, by a
judicious combination of solvents, it is possible to
select a boiling range which will give an acceptable
drying time for any combination of waxes.

The pigments to be used can of course
be those already well known in the art e.g. those based
on carefully purified metal oxides or hydroxides, already
well known in the cosmetic art such as red iron oxide
and titanium dioxide. Other non-pigment solids e.g.
iridescent powders such as titanium-coated mica can
also be incorporated.

Since typically, volatile solvents
are of rather lower viscosity than the oils previously
used in solid wax formulations care should be taken
to keep pigments in adequate suspension in the
formulation.

One way of doing this is to control
the proportion of solvent which in a broad preferred
aspect ranges from 10 - 80% w/w of the product but
which more preferably ranges from 20 - 50% w/w.

Another method of ensuring that the

pigments remain in suspension throughout the formulation is to add a gelling agent. Among those which can be used in suitable formulations are cellulose gums, gelatin, montmorillonite clays and aluminium stearate, the criteria again being toxicity, organoleptic properties and formulation compatibility rather than chemical nature.

A third way of ensuring that the pigments remain in suspension is to provide the formulation, at least in part, as an emulsion. Thus, it is possible to emulsify water into the system, by use of suitable blends of suitable emulsifying agents (from such as:- sodium lauryl sulphate, ethanolamine stearate, diethanolamine stearate, a hydroxyalkyl ether, or glyceryl monolaurate) and thereby create a water-in-oil emulsion, which stabilises the distribution of pigment particles due to increased viscosity of the product and improved "wetting" of the pigment particles.

The overall proportions should be chosen so that the formulation dries on the lips in an acceptable time, which is typically 2 - 3 minutes, to fit in the time scale of other cosmetic applications.

The formulation according to the invention will be generally a viscous liquid or paste. It may be varied in detail so as to provide either a matte or glossy surface appearance after evaporation. Moreover, conventional additives such as perfume or

or flavouring can be added to the formulation.

In that the formulation contains a volatile solvent it should be packaged in a suitable container with an effective closure. Also, to provide the neck of such container in such a size or configuration as to wipe a brush or foam pad withdrawn from the container, thereby to avoid excessive application and too long a drying time, would also be an advantage.

The invention will be further described with reference to the following specific examples.

1. Hydrocarbon Emulsion

wt. %

	Long chain microcrystalline wax available as "Wax K 114" from Astor Chem. Co.	10.0%
15	Oleyl ethoxylate emulsifier	2.5%
	Stearic Acid	0.5%
	Triethanolamine	0.2%
	Bentone gelled with Kerosene (160°-176°)	10.1%
20	160°-176° Kerosene fraction	30.0%
	Red Iron Oxide (Cosmetic grade)	2.5%
	Titanium Dioxide (Cosmetic grade)	2.5%
25	Water	40.0%
		<hr/> 98.2%

2. Hydrocarbon/Wax Blend

Wax K114, as 1	10.0g
Polyethylene, low m w	0.2g
Red Iron Oxide, as 1	2.5g
Titanium dioxide	2.5g
Titanium-coated mica (iridescent powder)	5.0g
160° - 176°C Kerosene fraction	30.0g

3. Silicone Wax blend

Wax, as 1	10.0g
Red Iron Oxide, as 1	2.5g
Titanium Dioxide, as 1	2.5g
Titanium coated mica, as 2	5.0g
Dimethyl silicone resin	30.0g

Each of the above formulations gave a stable pasty product which could be applied to the skin of the lips by brush or foam pad and dried within 3 minutes to a layer uniformly following the contour and roughness of the lips of a microcrystalline nature and good adherence and resistance to abrasion.

The invention will be further described with reference to the accompanying drawings, in which:

Figure 1 is a diagram showing how a conventional lipstick is believed to be located on the

skin of the lips,

Figure 2a is a like diagram showing the lip cosmetic of the invention immediately after application,

5 Figure 2b is a like diagram to that of Figure 2a showing the lip cosmetic of the invention after drying.

Figure 1 shows a portion of lip-tissue 1 with a soft but somewhat uneven surface at 2 over which is applied by repeated smears or streaks a wax layer 3 containing pigment dispersed throughout as at 4. This prior art arrangement means that the applied lipstick does not reach into, and hence does not key into the rugosities 5 on the surface. Also, any included dyestuff, incorporated to give the relatively unadherent wax layer some apparent wear resistance only dyes the underlying skin at intervals e.g. at 6.

Figure 2 shows a liquid or pasty layer of formulation 7 of the invention, with suspended pigment as at 8, covering and filling all rugosities 5.

20 Figure 2b shows Figure 2a two minutes later, after solvent evaporation. A uniform finely crystalline, unsmear layer 9 keyed into rugosities 5 covers the whole surface.

CLAIMS:

1. A lip cosmetic comprising (a) at least one orally acceptable non-toxic wax or wax-like substance, at least partially dissolved in (b) a solvent or solvent mixture sufficiently volatile to be evaporated by the heat of the lips, together with (c) one or more suitable pigment or like solid materials dispersed throughout the formulation.
2. A lip cosmetic as claimed in claim 1 in which the wax or wax-like substance is one of, or a mixture of two or more of bees-wax, lanolin wax, carnauba wax, paraffin wax or a low molecular polyolefin wax-like material.
3. A lip cosmetic as claimed in claim 1, or 2 in which the wax or wax-like substance contains a microcrystalline wax.
4. A lip cosmetic as claimed in claim 1, 2 or 3 in which the wax is admixed with a natural or synthetic resinous material to increase the resistance of the wax film to water and abrasion.
5. A lip cosmetic as claimed in any of claims 1 to 4 where in the solvent is a kerosene or a dimethyl silicone.

6. A lip cosmetic as claimed in any one preceding claim wherein the solvent is present in an amount from 10 - 80% w/w in the formulation so as to at least assist in keeping the pigments in suspension.
7. A lip cosmetic as claimed in claim 6 in which the solvent proportion is 20 - 50% w/w.
8. A lip cosmetic as claimed in any one preceding claim comprising a gelling agent so as to at least assist in keeping the pigments in suspension.
9. A lip cosmetic as claimed in claim 8 in which the gelling agent includes cellulose gums, gelatin, montmorillonite, clays, or aluminium stearate.
10. A lip cosmetic as claimed in any one preceding claim comprising at least in part a water-in-oil emulsion so as to at least assist in keeping the pigments in suspension.
11. A lip cosmetic as claimed in claim 10 in which the emulsifying agent is one of, or a blend chosen from sodium lauryl sulphate, ethanolamine stearate, diethanolamine stearate, a hydroxyalkyl ether or glyceryl monolaurate.

16.

12. A lip cosmetic as claimed in any one preceding claim which dries on the lips in 2 to 3 minutes.

13. A lip cosmetic as claimed in any one preceding claim in the form of a viscous liquid.

14. A lip cosmetic as claimed in any one of claims 1 to 13 in the form of a paste.




Fig. 1.




Fig. 2a.




Fig. 2b.



European Patent
Office

EUROPEAN SEARCH REPORT

0005922

Application number

EP 79 30 0807

DOCUMENTS CONSIDERED TO BE RELEVANT			CLASSIFICATION OF THE APPLICATION (Int. Cl.)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
X	<u>US - A - 3 088 876</u> (BUTH) * Column 1, line 52 - column 4, line 13; the examples; the claims *	1-14	A 61 K 7/025
	--		
X	<u>FR - A - 915 416</u> (CELORON DE BLAINVILLE) * Entirely *	1-14	
	--		
A	<u>FR - A - 935 150</u> (MARTIN-GORDON)	1	TECHNICAL FIELDS SEARCHED (Int. Cl.)
A	<u>FR - A - 998 013</u> (SOC. LES PROD. DE BEAUTE YAMIL)	1	A 61 K 7/025 A 61 K 7/027
A	<u>GB - A - 525 337</u> (KILMIST)	1	
A	<u>LU - A - 52 961</u> (VOISIN)	1	
A	<u>CH - A - 224 313</u> (GIVAUDAN)	1	
A	<u>CH - A - 264 133</u> (CZAKO)	1	
A	<u>CH - A - 519 913</u> (VOISIN)	1	

			CATEGORY OF CITED DOCUMENTS
			X: particularly relevant A: technological background O: non-written disclosure P: intermediate document T: theory or principle underlying the invention E: conflicting application D: document cited in the application L: citation for other reasons
			&: member of the same patent family, corresponding document
X	The present search report has been drawn up for all claims		
Place of search		Date of completion of the search	Examiner
The Hague		13-08-1979	JONAS